

Flex Solutions

Essential Techniques for Flex 2 and 3 Developers

Marco Casario



Flex Solutions: Essential Techniques for Flex 2 and 3 Developers

Copyright © 2007 by Marco Casario

All rights reserved. No part of this work may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying, recording, or by any information storage or retrieval system, without the prior written permission of the copyright owner and the publisher.

ISBN-13: 978-1-59059-876-4

ISBN-10: 1-59059-876-8

Printed and bound in the United States of America 9 8 7 6 5 4 3 2 1

Trademarked names may appear in this book. Rather than use a trademark symbol with every occurrence of a trademarked name, we use the names only in an editorial fashion and to the benefit of the trademark owner, with no intention of infringement of the trademark.

Distributed to the book trade worldwide by Springer-Verlag New York, Inc., 233 Spring Street, 6th Floor, New York, NY 10013. Phone 1-800-SPRINGER, fax 201-348-4505, e-mail orders-ny@springer-sbm.com, or visit www.springeronline.com.

For information on translations, please contact Apress directly at 2855 Telegraph Avenue, Suite 600, Berkeley, CA 94705. Phone 510-549-5930, fax 510-549-5939, e-mail info@apress.com, or visit www.apress.com.

The information in this book is distributed on an “as is” basis, without warranty. Although every precaution has been taken in the preparation of this work, neither the author(s) nor Apress shall have any liability to any person or entity with respect to any loss or damage caused or alleged to be caused directly or indirectly by the information contained in this work.

The source code for this book is freely available to readers at www.friendsofed.com in the Downloads section.

Credits

Lead Editors Chris Mills, Ben Renow-Clarke	Associate Production Director Kari Brooks-Copony
--	--

Technical Reviewer David Williams	Production Editor Kelly Winquist
---	--

Editorial Board Steve Anglin, Ewan Buckingham, Tony Campbell, Gary Cornell, Jonathan Gennick, Jason Gilmore, Kevin Goff, Jonathan Hassell, Matthew Moodie, Joseph Ottinger, Jeffrey Pepper, Ben Renow-Clarke, Dominic Shakeshaft, Matt Wade, Tom Welsh	Composer Dina Quan Artist April Milne Proofreader Nancy Riddiough
--	---

Project Manager Beth Christmas	Indexer Toma Mulligan
--	---------------------------------

Copy Editor Nancy Sixsmith	Interior and Cover Designer Kurt Krames
--------------------------------------	---

Manufacturing Director
Tom Debolski

CONTENTS

About the Author	xix
About the Technical Reviewer	xxi
Acknowledgments	xxiii
Introduction	xxv
Chapter 1: Flex Basics	1
Solution 1-1: Changing the Flex default properties	2
What's involved	2
How to build it	3
Expert tips	6
Solution 1-2: Adding global CSS styles	7
What's involved	7
How to build it	7
Using ActionScript to apply styles.	10
Expert tips	12
Solution 1-3: Extending Flex controls with ActionScript	12
What's involved	13
How to build it	13
Expert tips	19
Solution 1-4: Using the data binding.	23
What's involved	23
How to build it	24
Expert tips	27
Solution 1-5: Understanding the Flex event model.	28
What's involved	29
How to build it	30
Expert tips	33

CONTENTS

Solution 1-6: Using the event object	34
What's involved	34
How to build it	34
Expert tips	37
Solution 1-7: Register event handler functions for an object with the addEventListener() method.	38
What's involved	38
How to build it	39
Expert tips	43
Solution 1-8: Stop the event propagation.	45
What's involved	45
How to build it	45
Expert tips	48
Solution 1-9: Handling keyboard events.	48
What's involved	48
How to build it	49
Expert tips	51
Summary	52

Chapter 2: Using Flex Components 55

Solution 2-1: Creating and invoking MXML components	56
What's involved	57
How to build it	57
Expert tips	60
Solution 2-2: Defining properties and methods of MXML components	61
What's involved	61
How to build it	62
Expert tips	66
Solution 2-3: Creating ActionScript components	67
What's involved	67
How to build it	68
Expert tips	72
Solution 2-4: Managing multiple packages for components.	74
What's involved	75
How to build it	75
Expert tips	77
Solution 2-5: Handling events within custom components	78
What's involved	78
How to build it	78
Expert tips	82
Solution 2-6: Creating composite components	82
What's involved	83
How to build it	83
Expert tips	88
Solution 2-7: Building loosely coupled components	89
What's involved	89
How to build it	90
Expert tips	93

Solution 2-8: Extending the Event class for sending complex data	94
What's involved	94
How to build it	95
Expert tips	102
Solution 2-9: Creating SWC files to deploy components	103
What's involved	103
How to build it.	103
Expert tips	106
Solution 2-10: Creating reusable components using template components	107
What's involved	108
How to build it.	108
Expert tips	112
Summary	113
Chapter 3: Working with Data Models and the Value Object	115
Solution 3-1: Using MXML data models	116
What's involved	116
How to build it	117
An <mx:XML> variation	119
Expert tips	122
Solution 3-2: Loading external XML data using MXML data models.	123
What's involved	123
How to build it.	123
Expert tips	125
Solution 3-3: ActionScript classes as data models.	126
What's involved	127
How to build it.	129
Expert tips	133
Solution 3-4: Using data binding with data models.	134
What's involved	135
How to build it.	135
Expert tips	139
Solution 3-5: Converting an MXML data model into an ActionScript object	140
What's involved	141
How to build it	142
Expert tips	144
Summary	147
Chapter 4: Validating and Formatting Data	149
Solution 4-1: MXML validator classes.	150
What's involved	151
How to build it	151
Expert tips	153
Solution 4-2: Creating mandatory FormItems	153
What's involved	153
How to build it.	154
Expert tips	155

CONTENTS

Solution 4-3: Customizing error messages in Validator classes	156
What's involved	157
How to build it.	157
Expert tips	160
Solution 4-4: Validating data using ActionScript 3.0	160
What's involved	161
How to build it.	161
Expert tips	164
Solution 4-5: Triggering validation with Events	165
What's involved	165
How to build it.	166
Expert tips	171
Solution 4-6: Validating a data model using the validate() method	172
What's involved	173
How to build it.	174
Expert tips	177
Solution 4-7: Extending the RegExpValidator class	179
What's involved	180
How to build it.	180
Expert tips	183
Solution 4-8: Formatting data with the formatter classes	185
What's involved	185
How to build it.	186
Expert tips	188
Solution 4-9: Formatting list-based controls with the labelFunction property	189
What's involved	190
How to build it.	191
Expert tips	192
Summary	193

Chapter 5: Managing Complex Data 195

Solution 5-1: Using ArrayCollection to handle complex data	197
What's involved	197
How to build it	198
Expert tips	201
Solution 5-2: Converting an MXML data model into an ArrayCollection	201
What's involved	202
How to build it.	203
Expert tips	204
Solution 5-3: Setting and getting items in an ArrayCollection	205
What's involved	206
How to build it.	207
Expert tips	212
Solution 5-4: Filtering data	212
What's involved	213
How to build it.	214
Expert tips	217

Solution 5-5: Sorting data	219
What's involved	219
How to build it.	220
Expert tips	224
Solution 5-6: Using cursors with the ArrayCollection	225
What's involved	225
How to build it.	226
Expert tips	229
Solution 5-7: Moving to the last or first item in the view with bookmarks	230
What's involved	230
How to build it.	231
Expert tips	232
Solution 5-8: Adding and removing data with the cursor	233
What's involved	234
How to build it.	234
Expert tips	235
Summary	236
Chapter 6: Working with Remote Data Using the RPC Classes	239
Solution 6-1: Using the HTTPService class	241
What's involved	242
How to build it.	243
Expert tips	246
Solution 6-2: Handling result and fault events.	246
What's involved	248
How to build it.	250
Expert tips	254
Solution 6-3: Loading dynamically generated XML using PHP and ActionScript	255
What's involved	255
How to build it.	256
Expert tips	262
Solution 6-4: Using the E4X format with the resultFormat property	265
What's involved	267
How to build it.	268
Expert tips	270
Solution 6-5: Sending parameters to a PHP and a JSP file	271
What's involved	272
How to build it.	273
Expert tips	279
Solution 6-6: Consuming a web service	280
What's involved	281
How to build it.	282
Expert tips	287
Solution 6-7: Using the RemoteObject with ColdFusion Flash Remoting	289
What's involved	290
How to build it.	291
Expert tips	298

CONTENTS

Solution 6-8: Remote communication with the Flash Player URLLoader class	298
What's involved	299
How to build it.	299
Expert tips	302
Solution 6-9: Using the RemoteObject with AMFPHP.	302
What's involved	303
How to build it.	304
Expert tips	309
Summary	309

Chapter 7: Displaying Data with List-based Components. 313

Solution 7-1: Display data using list-based controls	315
What's involved	315
How to build it.	317
Expert tips	321
Solution 7-2: Getting the selected item	322
What's involved	322
How to build it.	323
Expert tips	327
Solution 7-3: Formatting and extending DataGrid columns	328
What's involved	328
How to build it.	330
Expert tips	333
Solution 7-4: Using item renderers and item editors	338
What's involved	338
How to build it.	340
Expert tips	346
Solution 7-5: Displaying one-to-many data relationships.	347
What's involved	347
How to build it.	348
Expert tips	351
Solution 7-6: The TileList and HorizontalList components	355
What's involved	356
How to build it.	356
Expert tips	358
Solution 7-7: Implementing drag-and-drop operations	359
What's involved	359
How to build it	361
Expert tips	362
Solution 7-8: Advanced drag and drop.	363
What's involved	363
How to build it.	364
Expert tips	368
Solution 7-9: Using the AdvancedDataGrid with a Tree control	368
What's involved	369
How to build it.	370
Expert tips	375

Solution 7-10: Creating a custom column using item renderers	378
What's involved	379
How to build it.	381
Expert tips	386
Solution 7-11: Using the SummaryCollection class with grouped data	387
What's involved	387
How to build it.	389
Expert tips	393
Summary	394
Chapter 8: Compiling and Deploying Flex Applications	397
Solution 8-1: Using the mxmcl compiler	400
What's involved	402
How to build it.	406
Expert tips	408
Solution 8-2: Creating a custom configuration file	410
What's involved	410
How to build it.	411
Expert tips	414
Solution 8-3: Writing a custom dynamic wrapper	415
What's involved	416
How to build it	419
Expert tips	425
Solution 8-4: Supporting the Express Install Flash Player feature	425
What's involved	426
How to build it	428
Expert tips	431
Solution 8-5: Compiling Flex components	431
What's involved	432
How to build it	432
Expert tips	436
Solution 8-6: Using the fdb command-line debugger.	437
What's involved	438
How to build it	439
Expert tips	440
Solution 8-7: Deploying Flex applications	440
What's involved	441
How to build it	442
Expert tips	446
Summary	447
Chapter 9: Designing and Programming the Look and Feel of Flex Applications.	449
Solution 9-1: Designing the layout of a Flex application	450
What's involved	453
How to build it	455
Expert tips	465

CONTENTS

Solution 9-2: Designing a constraint-based layout	465
What's involved	467
How to build it.	472
Expert tips	476
Solution 9-3: Customizing Flex components using styles	477
What's involved	478
How to build it	486
Expert tips	493
Solution 9-4: Applying graphical skins	495
What's involved	495
How to build it.	497
Expert tips	503
Solution 9-5: Applying programmatic skins	505
What's involved	505
How to build it.	509
Expert tips	517
Solution 9-6: Customizing the style of rows and columns of an AdvancedDataGrid control	518
What's involved	519
How to build it.	520
Expert tips	524
Solution 9-7: Using and embedding fonts in Flex applications.	527
What's involved	528
How to build it.	530
Expert tips	536
Solution 9-8: Importing Flash CS3 assets into Flex	538
What's involved	539
How to build it.	541
Expert tips	548
Summary	550

Chapter 10: Flex Security 553

Solution 10-1: Using a cross-domain policy file to load data on a different domain	555
What's involved	555
How to build it.	557
Expert tips	560
Solution 10-2: Loading SWF files into a Flex application with allowDomain()	562
What's involved	562
How to build it.	563
Expert tips	566
Solution 10-3: Storing persistent data	566
What's involved	567
How to build it.	569
Expert tips	572
Solution 10-4: Mashup applications using the LocalConnection and the Yahoo! Maps API	573
What's involved	575
How to build it	576
Expert tips	581

Solution 10-5: Creating a proxy server-side service for Flash Player	
cross-domain security	582
What's involved	583
How to build it	583
Expert tips	585
Solution 10-6: Authenticating users in Flex	588
What's involved	588
How to build it	590
Expert tips	600
Solution 10-7: Securing a Flex application using server-based authentication	600
What's involved	601
How to build it.	602
Expert tips	604
Summary	605
Chapter 11: Advanced Flex Builder Techniques	607
Solution 11-1: Improving Flex Builder performance	608
What's involved	608
How to build it.	609
Expert tips	614
Solution 11-2: Localized applications using the resource bundle	616
What's involved	616
How to build it.	619
Expert tips	625
Solution 11-3: Customizing the look and feel of applications at runtime	
by loading CSS	627
What's involved	628
How to build it	629
Expert tips	632
Solution 11-4: Documenting the application with the ASDoc tool	632
What's involved	633
How to build it.	634
Expert tips	639
Solution 11-5: Improving the startup performance of a Flex application.	640
What's involved	641
How to build it.	642
Expert tips	645
Solution 11-6: Building modular applications with modules	646
What's involved	647
How to build it	648
Expert tips	652
Summary	653
Chapter 12: More Flex Framework Libraries and Utilities	657
Solution 12-1: Displaying data in a chart.	658
What's involved	659
How to build it.	660
Expert tips	667

CONTENTS

Solution 12-2: Working with events and effects with chart components	670
What's involved	671
How to build it.	672
Expert tips	680
Solution 12-3: Adding video contents within Flex.	682
What's involved	683
How to build it.	685
Expert tips	688
Solution 12-4: Printing from a DataGrid	689
What's involved	689
How to build it.	691
Expert tips	697
Solution 12-5: Debugging applications with the Logging framework	699
What's involved	701
How to build it.	701
Expert tips	706
Solution 12-6: Uploading files to the server	707
What's involved	707
How to build it.	709
Expert tips	715
Summary	716

Chapter 13: User Navigation in Flex Applications 719

Solution 13-1: Moving through the application with Navigator containers	720
What's involved	721
How to build it.	723
Expert tips	727
Solution 13-2: Creating and removing pop-up windows	728
What's involved	729
How to build it.	731
Expert tips	734
Solution 13-3: Sending data to a pop-up window.	735
What's involved	735
How to build it.	737
Expert tips	742
Solution 13-4: States and transitions using MXML and ActionScript	744
What's involved	745
How to build it.	749
Expert tips	754
Solution 13-5: Moving within a Tree control using E4X	759
What's involved	759
How to build it.	761
Expert tips	765
Summary	766

Chapter 14: Migrating Flex Applications on the Desktop with Adobe AIR	769
Solution 14-1: Exporting a Flex application for the desktop	771
What's involved	772
How to build it	775
Expert tips	779
Solution 14-2: Customizing OS windows using the AIR Window API	780
What's involved	781
How to build it	782
Expert tips	789
Solution 14-3: Accessing the file system	789
What's involved	790
How to build it	791
Expert tips	796
Solution 14-4: Reading and writing persistent data on local file system	798
What's involved	799
How to build it	800
Expert tips	804
Solution 14-5: Embedding HTML pages into desktop applications	806
What's involved	807
How to build it	807
Expert tips	814
Solution 14-6: Creating occasionally connected applications	815
What's involved	815
How to build it.	816
Expert tips	819
Solution 14-7: Keeping the application updated	820
What's involved	820
How to build it.	821
Expert tips	825
Summary	825
Index	829