

The Essential Guide to Flash CS4 with ActionScript

Paul Milbourne, Chris Kaplan, and
Michael Oliver with Serge Jespers



The Essential Guide to Flash CS4 with ActionScript

Copyright © 2009 by Paul Milbourne, Chris Kaplan, and Michael Oliver

All rights reserved. No part of this work may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying, recording, or by any information storage or retrieval system, without the prior written permission of the copyright owner and the publisher.

ISBN-13 (pbk): 978-1-4302-1811-1

ISBN-13 (electronic): 978-1-4302-1812-8

Printed and bound in the United States of America 9 8 7 6 5 4 3 2 1

Trademarked names may appear in this book. Rather than use a trademark symbol with every occurrence of a trademarked name, we use the names only in an editorial fashion and to the benefit of the trademark owner, with no intention of infringement of the trademark.

Distributed to the book trade worldwide by Springer-Verlag New York, Inc., 233 Spring Street, 6th Floor, New York, NY 10013. Phone 1-800-SPRINGER, fax 201-348-4505, e-mail orders-ny@springer-sbm.com, or visit www.springeronline.com.

For information on translations, please contact Apress directly at 2855 Telegraph Avenue, Suite 600, Berkeley, CA 94705. Phone 510-549-5930, fax 510-549-5939, e-mail info@apress.com, or visit www.apress.com.

Apress and friends of ED books may be purchased in bulk for academic, corporate, or promotional use. eBook versions and licenses are also available for most titles. For more information, reference our Special Bulk Sales—eBook Licensing web page at <http://www.apress.com/info/bulksales>.

The information in this book is distributed on an “as is” basis, without warranty. Although every precaution has been taken in the preparation of this work, neither the author(s) nor Apress shall have any liability to any person or entity with respect to any loss or damage caused or alleged to be caused directly or indirectly by the information contained in this work.

The source code for this book is freely available to readers at www.friendsofed.com in the Downloads section.

Credits

Lead Editor **Production Editor**
Clay Andres Laura Esterman

Technical Reviewer **Composer**
Kunal Mittal Molly Sharp

Editorial Board **Proofreader**
Clay Andres, Steve Anglin, Mark Beckner, Ewan Buckingham,
Tony Campbell, Gary Cornell, Jonathan Gennick,
Michelle Lowman, Matthew Moodie, Duncan Parkes,
Jeffrey Pepper, Frank Pohlmann, Ben Renow-Clarke,
Dominic Shakeshaft, Matt Wade, Tom Welsh
Martha Whitt

Indexer
Carol Burbo

Project Manager **Artist**
Denise Santoro Lincoln April Milne

Copy Editor **Interior and Cover Designer**
Ami Knox Kurt Krames

Associate Production Director **Manufacturing Director**
Kari Brooks-Copony Tom Debolski

CONTENTS

| | |
|---|--------------|
| Foreword | xxi |
| About the Authors | xxiii |
| About the Technical Reviewer | xxv |
| Acknowledgments | xxvii |
| Preface | xxix |

PART ONE: BASICS

| | |
|--|----------|
| Chapter 1: How It All Began | 3 |
| Animators, coders, designers, oh my | 4 |
| What is this thing called Flash? | 4 |
| How did we get here? | 5 |
| Creating Flash: SmartSketch | 5 |
| The world today—addicted to change | 7 |
| Rich Internet Applications | 8 |
| The stateless Internet | 8 |
| Three-tiered application model | 9 |
| Natural evolution of thin clients | 12 |
| The rise of ActionScript | 14 |
| Flash Platform, open source, and Web 2.0 | 15 |
| The Flash Platform | 15 |
| Web 2.0 means what you want it to | 15 |
| The open source Flash explosion | 16 |
| Summary | 17 |

| | |
|---|-----------|
| Chapter 2: The New Interface of Flash CS4 | 19 |
| Welcome Screen | 20 |
| The Flash CS4 interface is nearly identical between operating systems | 22 |
| Working with panels and windows | 23 |
| Understanding panels (color-coded panel parts—three shades of gray) | 23 |
| Panel tab | 23 |
| Panel header | 23 |
| Panel group header | 24 |
| Docking, grouping, stacking, and floating | 24 |
| The Property inspector—one panel to rule them all | 26 |
| Changing numeric property values (new behavior!) | 27 |
| The document window | 27 |
| Understanding the document window | 27 |
| Controlling the document window | 28 |
| Stage view options | 28 |
| Tools for using the interface | 30 |
| Hand tool | 30 |
| Zoom tool (Z is for bones, silly rabbit!) | 31 |
| Rulers, guides, and snapping | 31 |
| Property inspector options of the document window | 32 |
| Changing the document frame rate | 33 |
| Changing the stage size | 33 |
| Changing the default document settings | 33 |
| The Timeline panel | 33 |
| Understanding the Timeline panel | 34 |
| Controlling layers | 35 |
| The timeline | 36 |
| Adding frames/keyframes to the timeline | 37 |
| Persistence and tinting frames | 38 |
| The timeline flows like water | 38 |
| Adding and inserting frames and keyframes to layers | 40 |
| Adding and inserting frames and keyframes to all layers | 41 |
| Inserting frames willy nilly | 41 |
| Copying/pasting frames | 42 |
| Controlling the timeline | 43 |
| The Tools panel | 43 |
| Customizing the interface | 43 |
| Working with workspaces | 44 |
| Customizing the interface with workspaces | 45 |
| Switching between workspaces | 45 |
| Managing workspaces | 45 |
| Modifying existing workspaces | 46 |
| Customizing the Tools panel | 46 |
| Customizing keyboard shortcuts | 47 |
| Summary | 48 |

| | |
|---|-----------|
| Chapter 3: Drawing with Flash’s Vector Tools | 51 |
| Understanding graphic types..... | 52 |
| Bitmap graphics..... | 52 |
| Vector graphics..... | 53 |
| Working with vector graphics..... | 53 |
| Drawing modes: Merge Drawing vs. Object Drawing..... | 53 |
| Merge Drawing..... | 53 |
| Object Drawing..... | 54 |
| Creating and manipulating lines..... | 55 |
| The Line tool..... | 55 |
| Selecting and manipulating lines..... | 56 |
| The Pencil tool..... | 58 |
| Drawing shapes..... | 58 |
| Anatomy of a shape..... | 58 |
| Drawing squares and rectangles..... | 59 |
| Drawing ovals, donuts, and pie shapes..... | 60 |
| Drawing polygons and stars..... | 60 |
| The primitive tools..... | 61 |
| Selecting and manipulating shapes..... | 61 |
| Strokes and fills..... | 63 |
| Stroke properties..... | 64 |
| Color properties and fills..... | 65 |
| The Color panel..... | 66 |
| The Swatches panel..... | 67 |
| The Paint Bucket tool..... | 70 |
| The Ink Bottle tool..... | 73 |
| The Gradient Transform tool..... | 73 |
| The Kuler panel..... | 74 |
| Advanced drawing..... | 75 |
| The anatomy of a path..... | 75 |
| The Pen tool..... | 75 |
| Manipulating paths..... | 78 |
| Summary..... | 79 |
| | |
| Chapter 4: External Assets and Symbol Management | 81 |
| Using bitmaps in your Flash projects..... | 82 |
| Importing external bitmaps into Flash..... | 82 |
| Importing to the stage or library..... | 83 |
| Importing an image sequence..... | 84 |
| Opening an external library..... | 84 |
| Importing your first bitmap into Flash..... | 85 |
| Setting bitmap properties in the Library panel..... | 86 |
| Breaking apart bitmaps..... | 87 |
| Using the Trace Bitmap feature..... | 89 |
| Swapping bitmap images..... | 91 |

CONTENTS

| | |
|--|------------|
| Using and organizing symbols | 92 |
| Types of symbols | 92 |
| Creating and managing symbols | 93 |
| Creating symbol instances | 94 |
| Creating button symbols | 95 |
| Editing symbols | 95 |
| Preparing to add states to the button | 96 |
| Swapping symbols | 97 |
| Breaking apart symbol instances | 98 |
| Duplicating symbols | 98 |
| The Library panel | 99 |
| Getting familiar with the Library panel | 99 |
| Examining library items | 100 |
| Organizing with folders | 101 |
| Sorting and searching | 101 |
| Finding unused library items | 101 |
| Updating imported library items | 102 |
| Summary | 102 |
| | |
| Chapter 5: Working with Blends, Filters, and 3D Transformations | 105 |
| Blends | 106 |
| Applying a blend mode | 107 |
| Working with filters | 108 |
| Applying filters | 109 |
| Creating a skewed drop shadow | 112 |
| Introducing 3D transformations | 112 |
| Vanishing point | 113 |
| Rotating a multiple-object selection in 3D space | 115 |
| Rotating objects in 3D space | 116 |
| Rotating a single object in 3D space | 116 |
| 3D space movement | 117 |
| Moving a single object in 3D space | 118 |
| Moving multiple objects in 3D space | 119 |
| Transform panel rotation | 120 |
| Perspective angle | 120 |
| Summary | 122 |
| | |
| PART TWO: ANIMATION | 123 |
| <hr/> | |
| Chapter 6: Basic Animation in Flash | 125 |
| Animating to convey information | 126 |
| Animation for impact and emotion | 127 |
| The disciplines of animation | 127 |
| Understanding animation in Flash | 127 |
| Motion tweening vs. frame-by-frame animation | 127 |
| The shape tween | 128 |

| | |
|--|-----|
| Introducing the new motion tween | 128 |
| Classic tween | 129 |
| Creating a motion tween—a step-by-step primer | 129 |
| Modifying a motion tween | 132 |
| Moving a motion path | 133 |
| Changing the curve of a motion path | 133 |
| To rotate, scale, or skew the motion path | 133 |
| Understanding easing | 134 |
| Changing the easing of your tween | 134 |
| Changing the duration of your motion tween | 136 |
| Roving keyframes vs. nonroving keyframes | 137 |
| Modifying your symbol | 137 |
| Changing the position of your symbol | 137 |
| Changing the rotation of your symbol | 138 |
| Color animation | 139 |
| Filter animation | 139 |
| Introducing the Motion Editor | 141 |
| Understanding the Motion Editor | 142 |
| The Motion Editor interface | 143 |
| The property layers | 144 |
| The Eases section | 145 |
| Making custom eases in the Motion Editor | 146 |
| The graph | 147 |
| Adding a color effect | 149 |
| Adding filters to your tween | 149 |
| Something to keep in mind | 151 |
| Reusing animation | 151 |
| Duplicating a tween from the timeline quickly | 151 |
| Saving animation as ActionScript | 152 |
| Saving animation as XML | 152 |
| Using motion presets | 153 |
| Applying motion presets | 153 |
| Saving your animation as a custom preset | 153 |
| Managing motion presets | 154 |
| Converting motion presets to frame-by-frame animations | 155 |
| Exporting and importing motion presets | 156 |
| Summary | 157 |

Chapter 7: Playing with Dolls: Introducing Flash IK 159

| | |
|--|-----|
| What is kinematics? | 160 |
| Inverse kinematics | 160 |
| An arm or a leg: Experimenting with IK | 161 |
| Getting started with the arm | 161 |
| The anatomy of a bone | 162 |
| Adding bones to the arm | 162 |
| Controlling the motion of specific bones | 163 |
| Applying constraints to specific bones | 165 |
| Constraining bone movement | 166 |

CONTENTS

| | |
|---|-----|
| Creating motion with an IK system | 166 |
| Comparing IK to motion tweening | 166 |
| Animating the arm | 167 |
| Author-time versus runtime IK animation | 169 |
| Using IK with complex anatomies | 171 |
| Simple anatomy: A little help from Leonardo | 171 |
| Applying IK to a human character | 172 |
| Setting up the core | 174 |
| Adding the arms | 175 |
| Adding the legs | 176 |
| Cleaning up your character | 177 |
| Animating the character | 177 |
| Using IK with shapes and the Bind tool | 178 |
| Working with bones and vector shapes | 179 |
| Selecting shapes for IK | 179 |
| Applying bones to a vector shape | 180 |
| Using the Bind tool | 180 |
| Accessing the Bind tool | 180 |
| Applying binds to shapes | 181 |
| Summary | 182 |

PART THREE: ACTIONSCRIPT 183

Chapter 8: The Programming Primer: A Flash Designer's Intro to ActionScript 3.0 185

| | |
|--|-----|
| Dreaming in metaphors | 186 |
| Following the evolution of ActionScript 3.0 | 187 |
| Crafting your first ActionScript application | 188 |
| The trace statement: Leaving breadcrumbs | 191 |
| Moving into the Actions panel: Your new home | 192 |
| Looking closely at the Actions panel | 192 |
| Actions panel toolbar | 194 |
| Pinning scripts so you don't lose them | 194 |
| Script Assist—taking it easy | 195 |
| Basic elements of ActionScript programming | 196 |
| Syntax | 196 |
| Case sensitivity | 197 |
| Dot syntax | 197 |
| Expressions and literals | 199 |
| Semicolons | 199 |
| Parentheses | 199 |
| Comments | 200 |
| Variables | 201 |
| Data types | 202 |
| Operators | 204 |
| Postfix operators | 205 |
| Multiplicative and additive operators | 205 |
| Relational operators | 206 |

| | |
|--|-----|
| Equality operators | 206 |
| Logical operators | 207 |
| Conditional statements | 208 |
| if . . . else statement | 208 |
| else . . . if clause | 209 |
| Logical operators && and | 209 |
| switch | 209 |
| Loops | 210 |
| for | 210 |
| while | 211 |
| Functions | 211 |
| Defining your own functions | 212 |
| Returning values from functions | 212 |
| Variable scope | 214 |
| Global variables | 214 |
| Local variables | 214 |
| Shadowing global variables | 214 |
| Having a little class or a big one | 215 |
| Building your first application | 215 |
| The document class | 216 |
| Packages and import statements | 216 |
| Class definition | 217 |
| Constructor functions | 218 |
| Wrapping it up | 218 |
| Summary | 220 |

Chapter 9: The Building Blocks of Interactivity 223

| | |
|---|-----|
| Properties: I unpacked my adjectives | 224 |
| Translating properties from stage to ActionScript | 225 |
| Changing properties with ActionScript | 226 |
| Incrementing ActionScript with frame loops | 228 |
| Methods: Just do it! | 230 |
| Events: Are we there yet? | 230 |
| EventDispatcher class and the Flash event model | 230 |
| The Flash event model | 231 |
| Event listeners and handlers | 231 |
| Event objects | 232 |
| Mouse events | 233 |
| Event targeting | 233 |
| Event propagation | 234 |
| Event phases | 235 |
| Welcomed side effects of event propagation | 235 |
| Assigning events to parent objects | 236 |
| Frame and timer events | 237 |
| Frame events | 237 |
| Timer events | 238 |
| Accepting keyboard input | 239 |
| Removing events and listeners | 240 |
| Summary | 241 |

Chapter 10: Learning the Display Model and Bringing It All Together 243

| | |
|---|-----|
| Working with display objects | 244 |
| Traversing the display list | 246 |
| Examining display object containers | 248 |
| Adding children | 249 |
| Inserting display objects at different depths | 250 |
| Removing children | 251 |
| Swapping depths | 252 |
| Germaphobe | 252 |
| Setting up the game | 253 |
| Assigning the document class | 253 |
| Defining the Germaphobe class | 254 |
| Class and property attributes | 255 |
| Setting up the germs | 256 |
| Defining the class | 256 |
| Linking to a graphic symbol | 257 |
| Initializing the game | 258 |
| A cleaner point of entry | 258 |
| Randomly adding germs to the stage | 259 |
| Picking the germ's face | 260 |
| Making the germ scurry | 262 |
| Creating random motion with the scurry event | 262 |
| Checking for walls | 264 |
| Killing germs | 265 |
| Setting up the kill | 265 |
| Things are killed, and then they die | 266 |
| Allowing germs to reproduce | 266 |
| Adding by intervals | 266 |
| The addGerms function | 267 |
| Keeping score | 268 |
| Ending the game by infestation | 269 |
| Checking for infestation | 269 |
| Removing leftover germs | 270 |
| The final score | 270 |
| Summary | 271 |

Chapter 11: Managing External Assets and Communication 273

| | |
|---|-----|
| Working with external data | 274 |
| URLRequest—go get it pup! | 274 |
| Using the URLLoader | 275 |
| Loading a simple data file | 275 |
| Waiting for the data to arrive | 276 |
| Sending data to external places | 277 |
| GET and POST methods | 277 |
| Name-Value pairs | 278 |
| URLVariables | 279 |

| | |
|--|-----|
| There and back again: A variable's tale | 279 |
| Checking for program errors | 281 |
| Loading external display objects | 282 |
| Communicating: SWF to SWF | 283 |
| LocalConnection class | 284 |
| Send method | 284 |
| Connect method | 284 |
| SWF to SWF | 285 |
| Setting up the sender | 285 |
| Setting up the receiver | 286 |
| Storing data to a local machine | 288 |
| Taking a closer look at local shared objects | 289 |
| Examining the .SOL file | 291 |
| Creating a simple shared object | 292 |
| Summary | 295 |

Chapter 12: XML: The Best Way In and Out of Flash 297

| | |
|---|-----|
| What is XML? | 298 |
| ActionScript 3.0 and E4X | 299 |
| Learning to see XML | 300 |
| Using proper structure and syntax | 302 |
| Elements | 302 |
| Rules for working with elements | 303 |
| Filling out the XML tree | 303 |
| Entities and escapes | 304 |
| Attributes | 305 |
| Empty elements | 306 |
| Efficiency | 306 |
| Commenting XML | 307 |
| Standard XML-style comment | 307 |
| CDATA comments | 307 |
| Loading an XML file with ActionScript | 308 |
| URLRequest and URLLoader objects | 308 |
| Event handler | 309 |
| Reading the XML data | 310 |
| XML and XMLList classes | 310 |
| Accessing XML data | 312 |
| Accessing elements | 312 |
| Drilling down into the structure | 313 |
| Using the children() method | 314 |
| Retrieving text node values | 314 |
| Double dot notation | 315 |
| Accessing attribute values | 315 |
| Bracket (array) notation | 316 |
| Filtering node values | 318 |
| Summary | 318 |

PART FOUR: ADDITIONAL USER INTERFACES 319**Chapter 13: Working with Text and Strings 321**

| | |
|---|-----|
| Creating text with the Text tool | 322 |
| Revisiting the Property inspector | 323 |
| Starting a simple contact form | 323 |
| Positioning text fields | 325 |
| Render modes and text field modifiers | 327 |
| Embedding characters | 329 |
| Formatting paragraphs | 330 |
| Using the Options section of the Property inspector | 331 |
| Filtering text elements | 331 |
| Continuing the contact form | 332 |
| Breaking apart and animating text | 334 |
| Animating text fields | 335 |
| Applying tweens to layers | 336 |
| Imploding letters | 336 |
| Manipulating text with ActionScript | 337 |
| Plucking some strings | 337 |
| Concatenation | 338 |
| Filtering and deconstructing strings | 339 |
| Formatting and creating text fields | 340 |
| TextFormat class | 340 |
| Assigning formats to text fields | 341 |
| Adding dynamic text fields to the contact form | 343 |
| Summary | 348 |

Chapter 14: Using Components 351

| | |
|--|-----|
| Understanding components | 352 |
| SWC-based components | 352 |
| FLA-based components | 353 |
| Tour de Components | 353 |
| User interface components | 354 |
| Video components | 355 |
| Third-party components | 356 |
| Adding components to your application | 357 |
| Adding components to your application in Flash | 358 |
| Adding components to your application using ActionScript | 358 |
| Controlling components | 360 |
| Configuring components in Flash | 360 |
| Using the Component inspector | 361 |
| Configuring components using ActionScript | 363 |
| Creating an application using the document class | 363 |
| Creating the form | 364 |
| Making the form do something—listening to components | 367 |

| | |
|---|-----|
| Skinning components in Flash. | 368 |
| Skinning components using ActionScript. | 370 |
| Component style definitions. | 371 |
| Summary. | 375 |

PART FIVE: ENHANCED MEDIA DEVELOPMENT 377

Chapter 15: Using the Adobe Media Encoder—A Crash Course . . . 379

| | |
|---|-----|
| Introduction to the interface. | 380 |
| Encoding your first video using presets | 381 |
| Choosing a preset | 382 |
| Choosing your output file name and location. | 383 |
| Encoding multiple files | 384 |
| Taking a close look at the Export Settings window | 385 |
| Simple mode encoding features | 386 |
| Cropping your video | 386 |
| Setting in and out points | 388 |
| Managing custom presets. | 390 |
| Advanced mode encoding features | 390 |
| Cue points | 391 |
| Advanced encoding options | 393 |
| Filters tab. | 393 |
| Format tab. | 394 |
| Video tab and bitrate settings | 394 |
| Audio tab. | 397 |
| The Others tab. | 398 |
| XMP metadata | 399 |
| Summary. | 400 |

Chapter 16: Working with Audio in Flash. 403

| | |
|---|-----|
| Thinking about audio. | 404 |
| Understanding audio in the Flash authoring environment | 405 |
| Using the Sound panel | 405 |
| Applying audio to a keyframe. | 406 |
| Quickly applying effects | 406 |
| Selecting a synchronization type for your audio instance. | 406 |
| Info. | 407 |
| Export settings in the Sound Properties dialog | 408 |
| Fine-tuning audio with the Envelope Editor. | 410 |
| Trimming your audio. | 410 |
| Custom effects. | 411 |
| Changing the view. | 411 |
| Adding audio to a button | 411 |

CONTENTS

| | |
|--|------------|
| Using library audio assets at runtime | 412 |
| First things first—let’s create our application | 413 |
| Application states made simple | 414 |
| Buttons please—changing states | 414 |
| Making library audio assets available to ActionScript | 416 |
| Creating sound objects and changing sounds at runtime | 416 |
| Loading audio at runtime | 418 |
| Understanding the Flash.media package | 418 |
| Creating a playlist with XML | 419 |
| Loading the playlist into the media player application | 419 |
| Creating the user interface | 420 |
| Wiring the UI and making it play | 422 |
| Manipulating audio at runtime | 424 |
| When the music stops—handling audio events | 426 |
| Summary | 427 |
| | |
| Chapter 17: Working with Video in Flash | 429 |
| Using the Video Import Wizard | 430 |
| Understanding the FLVPlayback component | 434 |
| Hello World | 434 |
| FLVPlayback Component inspector | 434 |
| Understanding and setting the scaleMode parameter | 435 |
| Setting the skin parameters | 436 |
| Setting the source parameter | 437 |
| Menu-driven video playback | 437 |
| Customizing the FLVPlayback component skin | 438 |
| Understanding the FLVPlayback component skin | 439 |
| Creating custom play controls | 445 |
| Understanding play control components | 445 |
| Assigning custom play controls to an FLVPlayback component | 447 |
| Synchronizing video, text, and other media using events | 447 |
| Beyond the Ready event—other key video events | 448 |
| Understanding cue points | 449 |
| Creating ActionScript cue points | 450 |
| Handling the CUE_POINT event and reading cue point parameters | 452 |
| Adding captions to the FLVPlayback component | 454 |
| Timed Text XML Schema for the FLVPlaybackCaptioning component | 454 |
| Understanding the FLVPlaybackCaptioning component | 456 |
| Summary | 457 |
| | |
| PART SIX: PREPARING YOUR PROJECT FOR DEPLOYMENT | 459 |
| | |
| Chapter 18: Publishing, Exporting, and Debugging Your Flash Project | 461 |
| Understanding the Publish Settings window | 462 |
| Selecting publish formats | 463 |
| Setting Flash publishing options | 464 |

| | |
|---|-----|
| Targeting player version and ActionScript version | 465 |
| Images and Sounds area | 466 |
| SWF Settings area | 466 |
| Advanced area | 467 |
| Setting HTML publishing options | 468 |
| Choosing a template | 468 |
| Setting dimensions | 469 |
| Changing Playback options | 469 |
| Changing quality | 470 |
| Changing window mode | 470 |
| Changing HTML alignment | 471 |
| Changing scale behavior | 471 |
| Changing Flash alignment | 471 |
| Setting GIF publishing options | 471 |
| Setting image dimensions | 472 |
| Changing playback behavior | 472 |
| Other options | 473 |
| Changing transparency | 473 |
| Changing dither | 473 |
| Changing palette type and other color settings | 474 |
| Setting PNG publishing options | 474 |
| Bit depth | 474 |
| Filter options | 475 |
| Setting JPEG publishing options | 475 |
| Dimensions | 475 |
| Quality | 475 |
| Managing publish profiles | 475 |
| Importing and exporting profiles | 476 |
| Creating publish profiles | 476 |
| Duplicating publish profiles | 476 |
| Deleting publish profiles | 477 |
| Exporting file formats | 477 |
| Exporting an image | 477 |
| Exporting your FLA as a movie or image sequence | 478 |
| QuickTime | 478 |
| Windows AVI | 479 |
| Debugging in Flash | 480 |
| Using the Compiler Errors panel | 481 |
| Using the Output window—strategies for tracing | 483 |
| Hunting scope errors | 483 |
| Finding typos | 484 |
| Tracking timing errors | 484 |
| Using the debugger | 485 |
| Setting and removing breakpoints | 486 |
| Understanding the call stack | 486 |
| Navigating code while debugging | 487 |
| Resuming normal code execution | 488 |
| Using the Variables panel | 488 |
| Summary | 489 |

| | |
|---|------------|
| Chapter 19: Building AIR Applications with Flash CS4 | 491 |
| Using AIR APIs | 492 |
| Windowing API | 493 |
| The normal window | 493 |
| The utility window | 493 |
| The lightweight window | 494 |
| Creating windows with the NativeWindow class | 495 |
| Windowing API methods | 495 |
| Windowing API events | 496 |
| Menu API | 496 |
| Window menu | 497 |
| Application menu | 497 |
| System tray menu | 498 |
| Dock menu | 498 |
| Handling menu events | 498 |
| Network Detection API | 499 |
| URLMonitor | 499 |
| SocketMonitor | 499 |
| File System API | 500 |
| Common file paths | 500 |
| Reading and writing files | 500 |
| Building your first AIR application with Flash CS4 | 501 |
| Creating your AIR application | 503 |
| The AIR – Application & Installer Settings dialog | 505 |
| The Advanced Settings dialog | 506 |
| Creating applications with custom chrome | 506 |
| Enabling dragging | 507 |
| Adding Close and Minimize buttons | 507 |
| Adding functionality | 508 |
| Creating a three-state icon | 508 |
| Checking server and service availability | 508 |
| Using the URLMonitor class | 509 |
| Saving the last server | 510 |
| Writing and reading files | 512 |
| Creating your AIR package | 515 |
| Deploying your AIR application | 517 |
| Summary | 518 |
| Index | 521 |